



# Professional Rental Transparent Screen Manufacturer



# Company advantages & services

Our factory well equipped with automatic production line what strongly ensure product reliability and reasonable lead time.



High precision auto paste printer



YAMAHA SMT line



Welding-line



AOI machine



Full-automatic glue injection machine



Assembly line



Screen test




Spectral radiance colorimeter



Package area

# Outdoor rental transparent screen




## Product Introduction:

Outdoor rental transparent screen is a highly portable and easy-to-assemble product designed for outdoor rental use, the whole design follows real EMC standard with 10 layers PCB board, IP65 both front and rear, high refresh rate, with CNC high precision machined and private mold die-casting cabinet, high transparency has pretty low wind resistance when used for outdoor stages or events etc. It is an ideal choice for a variety of applications and make your stage more innovative and attractive!


## Product Type:




15° Angle Arc Lock Rental Cabinet




Rental cabinet without curved lock



10° Angle Arc Lock Rental Cabinet



# Product Introduction:



- 1 Handle
- 2 Positioning pin
- 3 Connection lock
- 4 Power box
- 5 Power cord plug
- 6 Signal line plug
- 7 Cabinet handle
- 8 Arc lock
- 9 Fast Lock
- 10 Power socket
- 11 Signal socket
- 12 Waterproof plug



Power & signal sync



Quick lock connection




Air socket



Power box quick lock



Status Indicator & test button




Glue waterproof screen module

# Outdoor rental transparent screen


## Product Features:




CNC precision machining cabinet




Super slim cabinet




Good light transmittance



Less wind resistance and safer




IP65 waterproof, no fear of weather changes



High and low temperature resistance

# Product Features:


## 15° angle-cut arc lock cabinet combination method



The lock can be adjusted according to the scale, achieve 15° internal arc of adjacent cabinets


The lock can be adjusted according to the scale achieve -15° external arc of adjacent cabinets

cabinet size: 1000x500 (mm)




Cabinet with curved locking angle of 15°, can be customized according to needs combined to form a curved screen with a wider viewing angle

## 10° angle-cut arc lock cabinet combination method



45° angle cut on the cabinet



Combined into a 90° right-angled screen



Combined into square column screen


## Different cabinet combinations



25° external arc combined external arc screen




90° right-angle screen with cut-angle




Combined into square column screen

# Outdoor rental transparent screen



## Product Features:




Suspended beam installation  
(Maximum height 10m)



Hoist the screen on the truss  
with sling straps



Stacking installation  
(Maximum height 10m)




The cabinet are stacked on the floor.  
The viewing angles of the screen can  
be freely combined as needed




\*Note: The base mounting bracket can be  
customized according to needs.

## Easy Maintenance



Maintenance methods include front and rear maintenance. Rear maintenance requires a space behind the screen that can accommodate people. The front maintenance method means that the screws can be removed from the front of the screen to remove the display module, and the cabinet power box can be removed from the front. The core module adopts a plug-in design, making maintenance faster.



# Project cases



▲ The rental transparent screen project for the opening ceremony of the Chongqing

Model: P10.42 Total area: 150m<sup>2</sup>





▲ Outdoor rental transparent screen project in Harbin

Model: P3.9-7.8    Total area: 80m<sup>2</sup>

## Project cases



▲ Outdoor rental transparent screen project of Wuhan Yellow Crane Tower

Model: P5-10    Total area: 90m<sup>2</sup>